

polypores
<i>Abortiporus biennis</i> (Bulliard, 1789) Singer, 1944
<i>Albatrellopsis confluens</i> (Albertini & Schweinitz, 1805) Teixeira, 1993
<i>Albatrellus citrinus</i> Ryman, 2003
<i>Albatrellus ovinus</i> (Schaeffer, 1774) Kotlaba & Pouzar, 1957
<i>Albatrellus subrubescens</i> (Murrill, 1940) Pouzar, 1972
<i>Amylocystis lapponica</i> (Romell, 1911) Bondartsev & Singer ex Singer, 1944
<i>Amyloporia alpina</i> (Litschauer, 1939) Domanski, 1974
<i>Amyloporia carbonica</i> (Overholts, 1943) Vampola & Pouzar, 1993
<i>Amyloporia sinuosa</i> (Fries, 1821) Rajchenberg, Gorjón & Pildain, 2011
<i>Amyloporia sitchensis</i> (D.V. Baxter, 1938) Vampola & Pouzar, 1993
<i>Amyloporia xantha</i> (Fries, 1815) Bondartsev & Singer ex Bondartsev, 1944
<i>Anomoloma albolutescens</i> (Romell 1911) Niemelä & K. H. Larsson, 2007
<i>Anomoloma myceliosum</i> (Peck 1902) Niemelä & K. H. Larsson, 2007
<i>Anomoporia bombycina</i> (Fries 1828) Pouzar, 1966
<i>Anomoporia kamtschatica</i> (Parmasto 1963) Bondartseva, 1972
<i>Antrodia [Pilatoporus] bondartsevae</i> Spirin (2002)
<i>Antrodia [Pilatoporus] primaeva</i> Renvall & Niemelä, 1992
<i>Antrodia albida</i> (Fries 1815) Donk, 1966
<i>Antrodia albidoides</i> A. David & Dequatre, 1985
<i>Antrodia albobrunnea</i> (Romell, 1911) Ryvarde, 1973
<i>Antrodia crassa</i> (P. Karsten, 1889) Ryvarde, 1973
<i>Antrodia heteromorpha</i> (Fries, 1815) Donk, 1966
<i>Antrodia hippophaes</i> (Bresadola, 1926) Ryvarde, 1988
<i>Antrodia hyalina</i> Spirin, Miettinen & Kotiranta, 2012
<i>Antrodia infirma</i> Renvall & Niemelä, 1992
<i>Antrodia juniperina</i> (Murrill, 1905) Niemelä & Ryvarde, 1975
<i>Antrodia leucaena</i> Dai & Niemelä, 2002
<i>Antrodia macra</i> (Sommerfelt, 1826) Niemelä, 1985
<i>Antrodia malicola</i> (Berkeley & M. A. Curtis, 1856) Donk, 1966
<i>Antrodia mellita</i> Niemelä & Penttilä, 1992
<i>Antrodia minuta</i> Spirin, 2007
<i>Antrodia pseudosinuosa</i> A. Henrici & Ryvarde, 1997
<i>Antrodia pulverulenta</i> Rivoire, 2010
<i>Antrodia pulvinascens</i> (Pilát 1941 ex Pilát 1953) Niemelä, 1985
<i>Antrodia ramentacea</i> (Berkeley & Broome 1879) Donk, 1966
<i>Antrodia sandaliae</i> Bernicchia & Ryvarde, 2001
<i>Antrodia serialis</i> (Fries 1821) Donk, 1966
<i>Antrodia sordida</i> Ryvarde & Gilbertson, 1984
<i>Antrodia variiformis</i> (Peck 1889) Donk, 1966
<i>Antrodiella [Tyromyces] canadensis</i> (Overholts ex J. Lowe 1975) Niemelä, 2005
<i>Antrodiella americana</i> Ryvarde & Gilbertson, 1984
<i>Antrodiella citrinella</i> Niemelä & Ryvarde, 1983
<i>Antrodiella faginea</i> Vampola & Pouzar, 1996

<i>Antrodiella foliaceodentata</i> (Nikolajeva, 1949) Gilbertson & Ryvarden, 1993
<i>Antrodiella fragrans</i> (A. David & Tortiĉ, 1979) A. David & Tortiĉ, 1986
<i>Antrodiella ichnusana</i> Bernicchia, Renvall & Arras, 2005
<i>Antrodiella leucoxantha</i> (Bresadola, 1925) Mi&tinen & Niemelä, 2006
<i>Antrodiella niemelaei</i> Vampola & Vlasák, 2011
<i>Antrodiella onychoides</i> (Egeland, 1913) Niemelä, 1982
<i>Antrodiella pallasii</i> Renvall, Johannesson & Stenlid, 2000
<i>Antrodiella pallescens</i> (Pilát, 1932) Niemelä & Mietinen, 2006
<i>Antrodiella parasitica</i> Vampola, 1991
<i>Antrodiella pirumspora</i> Rivoire & Gannaz, 2012
<i>Antrodiella romellii</i> (Donk, 1967) Niemelä, 1982
<i>Antrodiella semistipitata</i> Bernicchia & Ryvarden, 2007
<i>Antrodiella serpula</i> (P. Karsten, 1887) Spirin & Niemelä, 2006
<i>Antrodiella subradula</i> (Pilát, 1936) Niemelä & Miettinen, 2006
<i>Aurificaria indica</i> (Massee, 1910) D. A. Reid, 1963
<i>Auriporia aurulenta</i> A. David, Tortiĉ & Jeliĉ, 1974
<i>Bjerkandera adusta</i> (Willdenow 1787) P. Karsten, 1879
<i>Bjerkandera fumosa</i> (Persoon 1801) P. Karsten, 1879
<i>Boletopsis grisea</i> (Peck 1874) Bondartsev & Singer, 1941
<i>Boletopsis leucomelaena</i> (Persoon 1801) Fayod, 1889
<i>Bondarzewia mesenterica</i> (Schaeffer, 1774) Kreisel, 1984
<i>Botryodontia millavensis</i> (Bourdot & Galzin, 1925) Duhem & Michel, 2005
<i>Byssoporia terrestris</i> (De Candolle, 1815) M.J. Larsen & Zak, 1978
<i>Ceriporia alachuana</i> (Murrill, 1938) Hallenberg, 1979
<i>Ceriporia alba</i> M. Pieri & B. Rivoire, 1997
<i>Ceriporia aurantiocarnescens</i> (Hennings, 1899) M. Pieri & B. Rivoire, 1997
<i>Ceriporia camaresiana</i> (Bourdot & Galzin 1925) Bondartsev & Singer, 1941
<i>Ceriporia davidii</i> (D. A. Reid, 1969) M. Pieri & B. Rivoire, 1997
<i>Ceriporia excelsa</i> (S. Lundell, 1946) Parmasto, 1959
<i>Ceriporia griseoviolascens</i> M. Pieri & B. Rivoire, 1997
<i>Ceriporia herinkii</i> Vampola, 1996
<i>Ceriporia mellita</i> (Bourdot, 1916) Bondartsev & Singer, 1941
<i>Ceriporia metamorphosa</i> (Fuckel, 1872) Ryvarden & Gilbertson, 1993
<i>Ceriporia purpurea</i> (Fries, 1821) Donk, 1971
<i>Ceriporia reticulata</i> (Hoffmann, 1795) Domanski, 1963
<i>Ceriporia sulphuricolor</i> Bernicchia & Niemelä, 1998
<i>Ceriporia tarda</i> (Berkeley, 1886) Ginns, 1984
<i>Ceriporia viridans</i> (Berkeley & Broome, 1861) Donk, 1933
<i>Ceriporia xylostromatoides</i> (Berkeley, 1843) Ryvarden, 1980
<i>Ceriporiopsis [Pouzaroporia] subrufa</i> (Ellis & Dearness, 1897) Ginns, 1984
<i>Ceriporiopsis aneirina</i> (Sommerfelt, 1826) Domanski, 1963
<i>Ceriporiopsis balaenae</i> Niemelä, 1985
<i>Ceriporiopsis consobrina</i> (Bresadola, 1925) Ryvarden, 1988
<i>Ceriporiopsis cremea</i> (Parmasto, 1963) Ryvarden, 1986
<i>Ceriporiopsis gilvescens</i> (Bresadola, 1908) Domanski, 1963

<i>Ceriporiopsis guidella</i> Bernicchia & Ryvarde n, 2003
<i>Ceriporiopsis herbicola</i> Fortey & Ryvarde n, 2007
<i>Ceriporiopsis pseudogilvescens</i> (Pilát, 1936) Niemelä & Kinnunen, 2005
<i>Ceriporiopsis resinascens</i> (Romell, 1911) Domanski, 1963
<i>Cerrena unicolor</i> (Bulliard, 1791) Murrill, 1903
<i>Cinereomyces lindbladii</i> (Berkeley, 1872) Jülich, 1982
<i>Climacocystis borealis</i> (Fries, 1821) Kotlaba & Pouzar, 1958
<i>Coltricia cinnamomea</i> (Jacquin, 1786) Murrill, 1904
<i>Coltricia confluens</i> Keizer, 1997
<i>Coltricia focicola</i> (Berkeley & M. A. Curtis, 1868) Murrill, 1908
<i>Coltricia montagnei</i> (Fries, 1836) Murrill, 1920
<i>Coltricia perennis</i> (Linnaeus, 1753) Murrill, 1903
<i>Corioloopsis aspera</i> (Junghuhn, 1838) Teng, 1964
<i>Daedalea quercina</i> (Linnaeus, 1753) Persoon, 1801
<i>Daedaleopsis confragosa</i> (Bolton, 1791) J. Schröter, 1888
<i>Daedaleopsis septentrionalis</i> (P. Karsten, 1866) Niemelä, 1982
<i>Daedaleopsis tricolor</i> (Bulliard, 1791) Bondartsev & Singer, 1941
<i>Datronia mollis</i> (Sommerfelt, 1826) Donk, 1966
<i>Datronia scutellata</i> (Schweinitz, 1832) Gilbertson & Ryvarde n, 1985
<i>Datronia stereoides</i> (Fries, 1818) Ryvarde n, 1968
<i>Dichomitus albidofuscus</i> (Domanski, 1966) Domanski, 1972
<i>Dichomitus campestris</i> (Quélet, 1872) Domanski & Orlicz, 1966
<i>Dichomitus efibulatus</i> A.M. Ainsworth & Ryvarde n, 2008
<i>Dichomitus squalens</i> (P. Karsten, 1886) D. A. Reid, 1965
<i>Diplomitoporus crustulinus</i> (Bresadola, 1925) Domanski, 1970
<i>Diplomitoporus flavescens</i> (Bresadola, 1903) Domanski, 1970
<i>Donkioporia expansa</i> (Desmazières, 1823) Kotlaba & Pouzar, 1973
<i>Erastia salmonicolor</i> (Berkeley & M. A. Curtis, 1849) Niemelä & Kinnunen, 2005
<i>Fibroporia bohémica</i> Bernicchia, Vampola & Prodi, 2010(8)
<i>Fibroporia citrina</i> (Bernicchia & Ryvarde n, 2005) Bernicchia & Ryvarde n, 2010
<i>Fibroporia gossypium</i> (Spegazzini, 1898) Parmasto, 1968
<i>Fibroporia norrlandica</i> (Berglund & Ryvarde n, 2000) Niemelä, 2001
<i>Fibroporia pseudorennyi</i> (Spirin, 2004) Spirin, 2007
<i>Fibroporia vaillantii</i> (De Candolle, 1815) Parmasto, 1968
<i>Fistulina hepatica</i> (Schaeffer, 1774) Withering, 1792
<i>Flaviporus brownii</i> (Humboldt) Donk, 1959
<i>Fomes fomentarius</i> (Linnaeus, 1753) Fries, 1849
<i>Fomitiporia erecta</i> (A. David, Dequatre & Fiasson, 1982) Fiasson, 1984
<i>Fomitiporia hartigii</i> (Allescher & Schnabl, 1890) Fiasson & Niemelä, 1984
<i>Fomitiporia hippophaeicola</i> (H. Jahn, 1976) Fiasson & Niemelä, 1984
<i>Fomitiporia pseudopunctata</i> (A. David, Dequatre & Fiasson, 1982) Fiasson, 1984
<i>Fomitiporia punctata</i> (Fries ex P. Karsten, 1882) Murrill, 1947
<i>Fomitiporia robusta</i> (P. Karsten, 1889) Fiasson & Niemelä, 1984
<i>Fomitoporella cavicola</i> (Kotlaba & Pouzar, 1995) T. Wagner & M. Fischer, 2002
<i>Fomitopsis [Laricifomes] officinalis</i> (Batsch, 1783) Bondartsev & Singer, 1941

<i>Fomitopsis [Pilatorporus] iberica</i> Melo & Ryvarde n, 1989
<i>Fomitopsis [Pilatorporus] spraguei</i> (Berkeley & M. A. Curtis, 1872) Gilbertson & Ryvarde n, 1985
<i>Fomitopsis [Rhodofomes] rosea</i> (Albertini & Schweinitz, 1805) P. Karsten, 1881
<i>Fomitopsis cajanderi</i> (P. Karsten, 1904) Kotlaba & Pouzar, 1957
<i>Fomitopsis epileucina</i> (Pilát ex Pilát, 1953) Gilbertson & Ryvarde n, 1993
<i>Fomitopsis labyrinthica</i> Bernicchia & Ryvarde n, 1996
<i>Fomitopsis pinicola</i> (Swartz, 1810) P. Karsten, 1881
<i>Frantisekia mentschulensis</i> (Pilát ex Pilát, 1953) Spirin, 2007
<i>Fulvifomes rimosus</i> (Berkeley, 1845) Fiasson & Niemelä, 1984
<i>Fuscoporia contigua</i> (Persoon, 1801) G. Cunningham, 1948
<i>Fuscoporia ferrea</i> (Persoon, 1825) G. Cunningham, 1948
<i>Fuscoporia ferruginosa</i> (Schrader, 1792) Murrill, 1907
<i>Fuscoporia torulosa</i> (Persoon, 1818) T. Wagner & M. Fischer, 2001
<i>Fuscoporia viticola</i> (Schweinitz, 1828) Murrill, 1907
<i>Ganoderma adpersum</i> (Schulzer, 1878) Donk, 1969
<i>Ganoderma carnosum</i> Patouillard, 1889
<i>Ganoderma lipsiense</i> (Batsch, 1786) G.F. Atkinson, 1908
<i>Ganoderma lucidum</i> (M. A. Curtis, 1781) P. Karsten, 1881
<i>Ganoderma pfeifferi</i> Bresadola, 1889
<i>Ganoderma resinaceum</i> Boudier, 1889
<i>Ganoderma valesiacum</i> Boudier, 1894
<i>Gelatoporia subvermispota</i> (Pilát, 1940) Niemelä, 1985 (10)
<i>Gloeophyllum abietinum</i> (Bulliard, 1789) P. Karsten, 1882
<i>Gloeophyllum carbonarium</i> (Berkeley & M. A. Curtis, 1872) Ryvarde n, 1984
<i>Gloeophyllum odoratum</i> (Wulfen, 1788) Imazeki, 1943
<i>Gloeophyllum protractum</i> (Fries, 1851) Imazeki, 1943
<i>Gloeophyllum sepiarium</i> (Wulfen, 1786) P. Karsten, 1882
<i>Gloeophyllum trabeum</i> (Persoon, 1801) Murrill, 1908
<i>Gloeoporus dichrous</i> (Fries, 1815) Bresadola, 1912
<i>Gloeoporus pannocinctus</i> (Romell, 1911) J. Ericksson, 1958
<i>Grifola frondosa</i> (Dickson, 1785) Gray, 1821
<i>Hapalopilus aurantiacus</i> (Rostkovius, 1838) Bondartsev & Singer, 1941
<i>Hapalopilus croceus</i> (Persoon, 1796) Bondartsev & Singer, 1941
<i>Hapalopilus ochraceolateritius</i> (Bondartsev, 1940) Bondartsev & Singer, 1941
<i>Hapalopilus rutilans</i> (Persoon, 1798) Murrill, 1904
<i>Haploporus suaveolens</i> (Linnaeus, 1753) Donk, 1971
<i>Haploporus tuberculatus</i> (Fries, 1821) Niemelä & Y. C. Dai, 2002
<i>Heterobasidion abietinum</i> Niemelä & Korhonen, 1998
<i>Heterobasidion annosum</i> (Fries, 1821) Brefeld, 1889
<i>Heterobasidion parviporum</i> Niemelä & Korhonen, 1998
<i>Hexagonia nitida</i> Durieu & Montagne, 1846
<i>Hyphodontia [Chaetoporellus] latitans</i> (Bourdot & Galzin, 1925) Ginns & M. N. L. Lefebvre, 1993
<i>Hyphodontia [Schizopora] flavipora</i> (Berkeley & M. A. Curtis ex Cooke, 1886) Sheng H. Wu, 2000
<i>Hyphodontia [Schizopora] paradoxa</i> (Schrader, 1794) Langer & Vesterholt, 1996
<i>Hyphodontia [Schizopora] radula</i> (Persoon, 1800) Langer & Vesterholt, 1996

<i>Hyphodontia spathulata</i> (Schrader, 1794) Parmasto, 1968
<i>Inocutis dryophila</i> (Berkeley, 1847) Fiasson & Niemelä, 1984
<i>Inocutis rheades</i> (Persoon, 1825) Fiasson & Niemelä, 1984
<i>Inocutis tamaricis</i> (Patouillard, 1904) Fiasson & Niemelä, 1984
<i>Inonotopsis subiculosa</i> (Peck, 1879) Parmasto, 1973
<i>Inonotus andersonii</i> (Ellis & Everhart, 1890) Cerný, 1963
<i>Inonotus cuticularis</i> (Bulliard, 1789) P. Karsten, 1879
<i>Inonotus hispidus</i> (Bulliard, 1784) P. Karsten, 1879
<i>Inonotus nidus-pici</i> Pilát ex Pilát, 1953
<i>Inonotus obliquus</i> (Acharius ex Persoon, 1801) Pilát, 1942
<i>Inonotus rickii</i> (Patouillard, 1908) D.A. Reid, 1957
<i>Inonotus ulmicola</i> Corfixen, 1990
<i>Irpex [Steccherinum] oreophilus</i> (Lindsey & Gilbertson, 1977) Niemelä, 1998
<i>Irpex cremicolor</i> Miettinen, Niemelii & Ryvardeen, 2007
<i>Irpex lacteus</i> (Fries, 1818) Fries, 1828
<i>Ischnoderma benzoinum</i> (Wahlenberg, 1826) P. Karsten, 1879
<i>Ischnoderma resinosum</i> (Schrader, 1794) P. Karsten, 1879
<i>Jahnoporus hirtus</i> (Quélet, 1873) Nuss, 1980
<i>Junghuhnia automnale</i> Spirin, Zmitovich & V. Malysheva, 2007
<i>Junghuhnia collabens</i> (Fries, 1874) Ryvardeen, 1972
<i>Junghuhnia fimbriatella</i> (Peck, 1885) Ryvardeen, 1972
<i>Junghuhnia imbricata</i> Spirin, 2007
<i>Junghuhnia lacera</i> (P. Karsten, 1882) Niemelä & Kinnunen, 2001
<i>Junghuhnia luteoalba</i> (P. Karsten, 1887) Ryvardeen, 1972
<i>Junghuhnia micropora</i> Spirin, Zmitovich & V. Malysheva, 2007
<i>Junghuhnia nitida</i> (Persoon, 1800) Ryvardeen, 1972
<i>Junghuhnia pseudozilinginia</i> (Parmasto, 1959) Ryvardeen, 1972
<i>Junghuhnia semisupiniformis</i> (Murrill, 1912) Ryvardeen, 1985
<i>Junghuhnia[Antrodiella] aurantilaeta</i> (Corner, 1989) Spirin, 2007
<i>Laeticutis cristata</i> (Schaeffer, 1774) Audet, 2010
<i>Laetiporus montanus</i> Černý ex Tomšovský & Jankovský, 2008
<i>Laetiporus sulfureus</i> (Bulliard, 1788) Murrill, 1920
<i>Lenzites betulina</i> (Linnaeus, 1753) Fries, 1838
<i>Lenzites warnieri</i> Durieu & Montagne, 1860
<i>Lenzitopsis oxycedri</i> Malençon & Bertault, 1963
<i>Leptoporus mollis</i> (Persoon, 1795) Quélet, 1886
<i>Lindtneria flava</i> Parmasto, 1968
<i>Lindtneria leucobryophila</i> (Hennings, 1898) Jülich, 1977
<i>Lindtneria trachyspora</i> (Bourdote & Galzin, 1925) Pilát, 1939
<i>Loweomyces fractipes</i> (Berkeley & M.A. Curtis, 1872) Jülich, 1982
<i>Mensularia hastifera</i> T. Wagner & M. Fischer, 2001
<i>Mensularia nodulosa</i> (Fries, 1838) T. Wagner & M. Fischer, 2001
<i>Mensularia radiata</i> (Sowerby, 1799) Lázaro Ibiza, 1916
<i>Meripilus giganteus</i> (Persoon 1794) P. Karsten, 1882
<i>Meruliopsis hirtella</i> (Burt, 1917) Ginns, 1979

<i>Meruliopsis taxicola</i> (Persoon, 1825) Bondartsev, 1959
<i>Neolentiporus squamosellus</i> (Bernicchia & Ryvardeen, 1996) Bernicchia & Ryvardeen, 1998
<i>Obba rivulosa</i> (Berkeley & M. A. Curtis, 1868) Miettinen & Rajchenberg, 2011
<i>Oligoporus immitis</i> (Peck, 1884) Niemelä, 2005
<i>Oligoporus parvus</i> Renvall, 2005
<i>Oligoporus persicinus</i> (Niemelä & Y.-C. Dai, 2004) Niemelä, 2005
<i>Onnia leporinea</i> (Fries, 1852) H. Jahn, 1978
<i>Onnia tomentosa</i> (Fries, 1821) P. Karsten, 1889
<i>Onnia triquetra</i> (Persoon, 1796) Imazeki, 1955
<i>Osteina obducta</i> (Berkeley, 1845) Donk, 1966
<i>Oxyporus [Rigidoporus] borealis</i> G. M. Jenssen & Ryvardeen, 1985
<i>Oxyporus [Rigidoporus] corticola</i> (Fries, 1821) Ryvardeen, 1972
<i>Oxyporus [Rigidoporus] latemarginatus</i> (Durieu & Montagne, 1856) Donk, 1966
<i>Oxyporus [Rigidoporus] obducens</i> (Persoon, 1825) Donk, 1933
<i>Oxyporus [Rigidoporus] populinus</i> (Schumacher, 1803) Donk, 1933
<i>Oxyporus ravidus</i> (Fries, 1838) Bondartsev & Singer, 1941
<i>Oxyporus schizoporoides</i> Zmitrovich & Spirin, 2003
<i>Parmastomyces [Tyromyces] taxi</i> (Bondartsev 1940) Y.C. Dai & Niemelä, 1995
<i>Perenniporia fraxinea</i> (Bulliard, 1789) Ryvardeen, 1978
<i>Perenniporia fulviseda</i> (Bresadola, 1920) Dhanda, 1981
<i>Perenniporia medulla-panis</i> (Jacquin, 1778) Donk, 1967
<i>Perenniporia meridionalis</i> C. Decock & Stalpers, 2006
<i>Perenniporia narymica</i> (Pilát, 1936) Pouzar, 1984
<i>Perenniporia ochroleuca</i> (Berkeley, 1845) Ryvardeen, 1972
<i>Perenniporia rosmarini</i> A. David & Malençon, 1978
<i>Perenniporia subacida</i> (Peck, 1885) Donk, 1967
<i>Perenniporia tenuis</i> (Schweinitz, 1832) Ryvardeen, 1973
<i>Phaeolus schweinitzii</i> (Fries, 1821) Patouillard, 1900
<i>Phellinidium ferrugineofuscum</i> (P. Karsten, 1887) Fiasson & Niemelä, 1984
<i>Phellinidium pouzarii</i> (Koltaba, 1968) Fiasson & Niemelä, 1984
<i>Phellinidium sulphurascens</i> (Pilát 1936) Y.C. Dai, 1995
<i>Phellinopsis conchata</i> (Persoon, 1796) Dai, 2010
<i>Phellinus [Fomitiporia] juniperinus</i> Bernicchia & Cureli, 1990 (36)
<i>Phellinus alni</i> (Bondartsev, 1912) Parmasto, 1976
<i>Phellinus cinereus</i> (Niemelä, 1975) M. Fischer, 1995
<i>Phellinus ignarius</i> (Linnaeus, 1753) Quélet, 1886
<i>Phellinus laevigatus</i> (Fries, 1874) Bourdot & Galzin, 1928
<i>Phellinus lonicerinus</i> (Bondartsev 1935) Bondartsev & Singer, 1941
<i>Phellinus lundellii</i> Niemelä, 1972
<i>Phellinus nigricans</i> (Fries, 1821) P. Karsten, 1899
<i>Phellinus pilatii</i> Černý, 1968
<i>Phellinus populicola</i> Niemelä, 1975
<i>Phellinus rhamni</i> (Bondartsev, 1960) H. Jahn, 1967
<i>Phellinus rosmarini</i> Bernicchia, 1990
<i>Phellinus tremulae</i> (Bondartsev, 1912) Bondartsev & Borissov, 1953

<i>Phellinus tuberculatus</i> (Baumgarten, 1790) Niemelä, 1982
<i>Phellinus vorax</i> (Harkness, 1879) Cerny, 1985
<i>Phellopilus nigrolimitatus</i> (Romell, 1912) Niemelä, T. Wagner & M. Fischer, 2001
<i>Phylloporia ribis</i> (Schumacher, 1803) Ryvardeen, 1978
<i>Physisporinus sanguinolentus</i> (Albertini & Schweinitz, 1805) Pilát, 1937
<i>Physisporinus vitreus</i> (Persoon, 1796) P. Karsten, 1889
<i>Piloporia sajanensis</i> (Parmasto, 1962) Niemelä, 1982
<i>Piptoporus betulinus</i> (Bulliard, 1786) P. Karsten, 1881
<i>Piptoporus quercinus</i> (Schrader, 1794) P. Karsten, 1881
<i>Piptoporus soloniensis</i> (Dubois, 1803) Pilát, 1937
<i>Podofomes trogii</i> (Fries, 1874) Pouzar, 1971
<i>Polyporus admirabilis</i> Peck, 1899
<i>Polyporus alveolaris</i> (De Candolle, 1815) Bondartsev & Singer, 1941
<i>Polyporus arcularius</i> (Batsch, 1783) Fries, 1821
<i>Polyporus badius</i> (Persoon, 1801) Schweinitz, 1832
<i>Polyporus brumalis</i> (Persoon, 1797) Fries, 1818
<i>Polyporus choseniae</i> (Vassilkov, 1967) Parmasto, 1975
<i>Polyporus ciliatus</i> Fries, 1815
<i>Polyporus corylinus</i> Mauri, 1832
<i>Polyporus hygrocye</i> M. Pieri & B. Rivoire, 2005
<i>Polyporus leptocephalus</i> (Jacquin, 1778) Fries, 1821
<i>Polyporus melanopus</i> (Persoon, 1797) Fries, 1821
<i>Polyporus meridionalis</i> (A. David, 1972) H. Jahn, 1980
<i>Polyporus pseudobetulinus</i> (Murashkin ex Pilát, 1932) Thorn, Kotiranta & Niemelä, 1990
<i>Polyporus rhizophilus</i> Patouillard, 1894
<i>Polyporus squamosus</i> (Hudson, 1778) Fries, 1821
<i>Polyporus tubaeformis</i> (P. Karsten, 1882) Ryvardeen & Gilbertson, 1994
<i>Polyporus tuberaster</i> (Jacquin ex Persoon, 1801) Fries, 1821
<i>Polyporus umbellatus</i> (Persoon, 1801) Fries, 1821
<i>Porodaedalea chrysoloma</i> (Fries, 1861) Fiasson & Niemelä, 1984
<i>Porodaedalea laricis</i> (Jaczewski ex Pilát, 1933) Niemelä, 2005
<i>Porodaedalea pini</i> (Brotero, 1804) Murrill, 1905
<i>Porotheleum fimbriatum</i> (Persoon, 1794) Fries, 1818
<i>Porpomyces [Ceriporiopsis] albonigrescens</i> (Núñez, Parmasto & Ryvardeen, 2001) Spirin & Zmitrovich, 2003
<i>Porpomyces mucidus</i> (Persoon, 1796) Jülich, 1982
<i>Postia [Oligoporus] balsamea</i> (Peck, 1876) Jülich, 1982
<i>Postia [Oligoporus] balsamina</i> Niemelä & Y.C. Dai, 2004
<i>Postia [Oligoporus] ceriflua</i> (Berkeley & M. A. Curtis, 1872) Jülich, 1982
<i>Postia [Oligoporus] floriformis</i> (Quélet, 1884) Jülich, 1982
<i>Postia [Oligoporus] folliculocystidiata</i> (Kotlaba & Vampola, 1993) Niemelä & Vampola, 2001
<i>Postia [Oligoporus] fragilis</i> (Fries, 1828) Jülich, 1982
<i>Postia [Oligoporus] guttulata</i> (Peck, 1888) Jülich, 1982
<i>Postia [Oligoporus] hibernica</i> (Berkeley & Broome, 1871) Jülich, 1982
<i>Postia [Oligoporus] lateritia</i> Renvall, 1992
<i>Postia [Oligoporus] mappa</i> (Overholts & Lowe, 1946) M. J. Larsen & Lombard, 1986

<i>Postia [Oligoporus] perdelicata</i> (Murrill, 1912) M. J. Larsen & Lombard, 1986
<i>Postia [Oligoporus] ptychogaster</i> (F. Ludwig, 1880) Vesterholt, 1996
<i>Postia [Oligoporus] rancida</i> (Bresadola, 1900) M. J. Larsen & Lombard, 1986
<i>Postia [Oligoporus] rennyi</i> (Berkeley & Broome, 1875) Rajchenberg, 1993
<i>Postia [Oligoporus] sericeomollis</i> (Romell, 1911) Jülich, 1982
<i>Postia [Oligoporus] stiptica</i> (Persoon, 1801) Jülich, 1982
<i>Postia alni</i> Niemelä & Vampola, 2001
<i>Postia caesia</i> (Schrader, 1794) P. Karsten, 1881
<i>Postia davidae</i> M. Pieri & B. Rivoire, 2006
<i>Postia inocybe</i> (A. David & Malençon, 1978) Jülich, 1982
<i>Postia lactea</i> (Fries, 1821) P. Karsten, 1881
<i>Postia leucomallella</i> (Murrill, 1940) Jülich, 1982
<i>Postia lowei</i> (Pilát ex Pilát, 1953) Jülich, 1982
<i>Postia luteocaesia</i> (A. David, 1980) Jülich, 1982
<i>Postia mediterraneocaesia</i> M. Pieri & B. Rivoire, 2005
<i>Postia romellii</i> M. Pieri & B. Rivoire, 2006
<i>Postia simanii</i> (Pilát ex Pilát, 1953) Jülich, 1982
<i>Postia subcaesia</i> (A. David, 1974) Jülich, 1982
<i>Postia tephroleuca</i> (Fries, 1821) Jülich, 1982
<i>Protomerulius caryae</i> (Schweinitz, 1832) Ryvarden, 1991
<i>Pseudoinonotus dryadeus</i> (Persoon, 1799) T. Wagner & M. Fischer, 2001
<i>Pycnoporellus alboluteus</i> (Ellis & Everhart, 1895) Kotlaba & Pouzar, 1963
<i>Pycnoporellus fulgens</i> (Fries, 1852) Donk, 1971
<i>Pycnoporus cinnabarinus</i> (Jacquin, 1776) P. Karsten, 1881
<i>Pycnoporus sanguineus</i> (Linnaeus, 1763) Murrill, 1904
<i>Pyrofomes demidoffii</i> (Léveillé, 1842) Kotlaba & Pouzar, 1964
<i>Rhodonía placenta</i> (Fries, 1861) Niemelä, K. H. Larsson & Schigel, 2005
<i>Rigidoporus crocatus</i> (Patouillard, 1894) Ryvarden, 1983
<i>Rigidoporus furcatus</i> Nuñez & Ryvarden, 2001 (22)
<i>Rigidoporus lineatus</i> (Persoon, 1827) Ryvarden, 1972
<i>Rigidoporus pouzarii</i> Vampola & Vlasák, 2012
<i>Rigidoporus ulmarius</i> (Sowerby, 1797) Imazeki, 1952
<i>Rigidoporus undatus</i> (Persoon, 1825) Donk, 1967
<i>Sarcoporia polyspora</i> P. Karsten, 1894
<i>Scutiger pes-caprae</i> (Persoon, 1818) Bondartsev & Singer, 1941
<i>Sidera lenis</i> (P. Karsten in Rabenh. & Winter, 1886) Miettinen, 2010
<i>Sidera vulgaris</i> (Fries, 1821) Miettinen, 2010
<i>Sistotrema alboluteum</i> (Bourdot & Galzin, 1925) Bondartsev & Singer, 1941
<i>Sistotrema albopallescens</i> (Bourdot & Galzin, 1925) Bondartsev & Singer, 1941
<i>Sistotrema confluens</i> Persoon, 1794
<i>Sistotrema dennisii</i> Malençon, 1977
<i>Sistotrema muscicola</i> (Persoon, 1825) S. Lundell, 1947
<i>Skeletocutis [Ceriporiopsis] azorica</i> (D. A. Reid, 1977) Jülich, 1982
<i>Skeletocutis [Ceriporiopsis] jelicii</i> Tortič & A. David, 1981
<i>Skeletocutis [Ceriporiopsis] portcrosensis</i> A. David, 1982

<i>Skeletocutis [Ceriporiopsis] subsphaerospora</i> A. David, 1982
<i>Skeletocutis albocrema</i> A. David, 1982
<i>Skeletocutis alutacea</i> (J. Lowe, 1946) J. Keller, 1979
<i>Skeletocutis amorpha</i> (Fries, 1815) Kotlaba & Pouzar, 1958
<i>Skeletocutis biguttulata</i> (Romel, 1932) Niemelä, 1998 (= <i>Sk. subincarnata</i> ss A. David)
<i>Skeletocutis borealis</i> Niemelä, 1998
<i>Skeletocutis brevispora</i> Niemelä, 1998
<i>Skeletocutis carneogrisea</i> A. David, 1982
<i>Skeletocutis chrysell</i> Niemelä, 1998
<i>Skeletocutis friata</i> Niemelä & Saarenoksa, 2001
<i>Skeletocutis krawtzevii</i> (Pilát, 1932) Kotlaba & Pouzar, 1991
<i>Skeletocutis kuehneri</i> A. David, 1982
<i>Skeletocutis lilacina</i> A. David & J. Keller, 1984
<i>Skeletocutis nivea</i> (Junghuhn, 1838) J. Keller, 1979
<i>Skeletocutis ochroalba</i> Niemelä, 1985
<i>Skeletocutis odora</i> (Peck ex Saccardo, 1888) Ginns, 1984
<i>Skeletocutis papyracea</i> A. David, 1982
<i>Skeletocutis percandida</i> (Malençon & Bertault, 1971) J. Keller, 1979
<i>Skeletocutis stellae</i> (Pilát ex Pilát, 1953) J. Keller, 1979
<i>Skeletocutis subincarnata</i> (Peck, 1896) J. Keller, 1979
<i>Spongipellis [Aurantioporus , Tyromyces] fissilis</i> (Berkeley & M. A. Curtis, 1849) Murrill, 1907
<i>Spongipellis [Sarcodontia] delectans</i> (Peck, 1884) Murrill, 1907
<i>Spongipellis [Sarcodontia] pachyodon</i> (Persoon, 1825) Koltaba & Pouzar, 1965
<i>Spongipellis [Sarcodontia] spumeus</i> (Sowerby, 1799) Patouillard, 1887
<i>Spongiporus rhodophilus</i> Spirin & Zimitrovich, 2006
<i>Spongiporus undosus</i> (Peck, 1881) A. David, 1980
<i>Trametella [Coriolopsis, Funalia] gallica</i> (Fries, 1821) Teixeira, 1989
<i>Trametella [Coriolopsis, Funalia] trogii</i> (Berkeley, 1850) Domanski, 1968
<i>Trametes gibbosa</i> (Persoon, 1795) Fries, 1838
<i>Trametes hirsuta</i> (Wulfen, 1788) Lloyd, 1924
<i>Trametes junipericola</i> Manjon, G. Moreno & Ryvarden, 1984
<i>Trametes ljubarskii</i> Pilát, 1936
<i>Trametes ochracea</i> (Persoon, 1794) Gilbertson & Ryvarden, 1987
<i>Trametes pubescens</i> (Schumacher, 1803) Pilát, 1939
<i>Trametes suaveolens</i> (Linnaeus, 1753) Fries, 1838
<i>Trametes subalutacea</i> Bourdot & Galzin, 1925
<i>Trametes velutina</i> (Persoon, 1794) G. Cunningham, 1965
<i>Trametes versicolor</i> (Linnaeus, 1753) Lloyd, 1920
<i>Trametopsis cervina</i> (Schweinitz, 1822) Tomšovský, 2008
<i>Trechispora candidissima</i> (Schweinitz, 1832) Bondartsev & Singer, 1941
<i>Trechispora clancularis</i> (Parker-Rhodes, 1955) K. H. Larsson, 1994
<i>Trechispora hymenocystis</i> (Berkeley & Broome, 1879) K. H. Larsson, 1994
<i>Trechispora mollusca</i> (Persoon, 1801) Liberta, 1974
<i>Trichaptum abietinum</i> (Persoon ex J.F. Gmelin, 1792) Ryvarden, 1972
<i>Trichaptum fuscoviolaceum</i> (Ehrenberg, 1818) Ryvarden, 1972

<i>Trichaptum laricinum</i> (P. Karsten, 1905) Ryvardeu, 1972
<i>Trichaptum pargamenum</i> (Fries, 1838) G. Cunningham, 1965
<i>Tyromyces [Aurantioporus] alborubescens</i> (Bourdot & Galzin, 1925) Bondartsev, 1953
<i>Tyromyces [Loweomyces] wynnei</i> (Berkeley & Broome, 1859) Donk, 1933
<i>Tyromyces [Postia] wakefieldiae</i> Kotlaba & Pouzar, 1989
<i>Tyromyces chioneus</i> (Fries, 1815) P. Karsten, 1881
<i>Tyromyces fumidiceps</i> G. F. Atkinson, 1908
<i>Tyromyces kmetii</i> (Bresadola, 1897) Bondartsev & Singer, 1941
<i>Tyromyces marianii</i> (Bresadola, 1900) Ryvardeu, 1988
<i>Wolfiporia cocos</i> (F. A. Wolf, 1922) Ryvardeu & Gilbertson, 1984)
<i>Xanthoporus syringae</i> (Parmasto, 1962) Audet, 2010